CompTIA A+ (2009 Edition) Bridge Exam Objectives Exam Number: BR0-003

Introduction

In order for an A+ certified professional to become current in the new version of A+, s/he may take and pass the Bridge Exam for the 2009 Edition of A+ if s/he meets the following criterion: <u>Only those who are certified in the most recent version of A+ (2006 Objectives) are eligible to update their currency through taking this Bridge exam.</u> All others may become certified by taking both exams in the 2009 Edition of A+ (220-701 and 220-702).

The CompTIA A+ Bridge examination measures necessary competencies for an entry-level IT professional in today's technology environment, with the equivalent knowledge of at least 500 hours of hands-on experience in the lab or field. Successful candidates will have the knowledge required to understand the fundamentals of computer technology, networking, and security, and will have the skills required to identify hardware, peripheral, networking, and security components. Successful candidates will understand the basic functionality of the operating system and basic troubleshooting methodology, practice proper safety procedures, and will effectively interact with customers and peers.

CompTIA A+ is ISO 17024 Accredited (Personnel Certification Accreditation) and, as such, undergoes regular reviews and updates to the exam objectives. The percentages in this document represent the relative importance of the subject areas (domains) in the associated body of knowledge, and together establish the foundation of an entry-level IT professional.

This examination blueprint includes domain weightings, test objectives, and example content. Example topics and concepts are included to clarify the test objectives and should not be construed as a comprehensive listing of all the content of this examination.

Candidates are encouraged to use this document to guide their studies. The contents of the examination blueprint help prioritize topics and provide a guide of what to expect on the CompTIA A+ Bridge Exam. The table below lists the domains measured by this examination and the extent to which they are represented. The CompTIA A+ (2009 Edition) Bridge Exam is based on these objectives.

Domain	Percentage of Examination
1.0 Hardware	27%
2.0 Troubleshooting, Repair & Maintenance	20%
3.0 Operating System and Software	20%
4.0 Networking	15%
5.0 Security	8%
6.0 Operational Procedure	10%
Total	100%

**Note: The lists of examples provided in bulleted format below each objective are not exhaustive lists. Other examples of technologies, processes or tasks pertaining to each objective may also be included on the exam although not listed or covered in this objectives document.

CompTIA is constantly reviewing the content of our exams and updating test questions to be sure our exams are current and the security of the questions is protected. When necessary, we will publish updated exams based on existing exam objectives. Please know that all related exam preparation materials will still be valid.

CompTIA A+ Bridge (2009 Edition) Exam Objectives

1.0 Hardware

1.1 Categorize storage devices and backup media

- FDD
- HDD
 - Solid state vs. magnetic
- Optical drives
 - CD / DVD / RW / Blu-Ray
- Removable storage
 - Tape drive
 - o Solid state (e.g. thumb drive, flash, SD cards, USB)
 - External CD-RW and hard drive
 - Hot swappable devices and non-hot swappable devices

1.2 Explain motherboard components, types and features

- Form Factor
 - o ATX / BTX,
 - o micro ATX
 - o NLX
 - I/O interfaces
 - o Sound
 - o Video
 - o USB 1.1 and 2.0
 - o Serial
 - o IEEE 1394 / Firewire
 - o Parallel
 - o NIC
 - o Modem
 - o PS/2
- Memory slots
 - o RIMM
 - o DIMM
 - o SODIMM
 - o SIMM
- Processor sockets
- Bus architecture
- Bus slots
 - o PCI
 - o AGP
 - o PCIe
 - o AMR
 - o CNR
 - o PCMCIA
- PATA
 - o IDE
 - o EIDE
- SATA, eSATA
- Contrast RAID (levels 0, 1, 5)
- Chipsets

٠

- BIOS / CMOS / Firmware
 - o POST
 - o CMOS battery
 - Riser card / daughterboard

CompTIA A+ Bridge (2009 Edition) Exam Objectives

1.3 Classify power supplies types and characteristics

- AC adapter
- ATX proprietary
- Voltage, wattage and capacity
- Voltage selector switch
- Pins (20, 24)

1.4 Explain the purpose and characteristics of CPUs and their features

- Identify CPU types
 - o AMD
 - o Intel
- Hyper threading
- Multi core
 - Dual core
 - Triple core
 - Quad core
- Onchip cache
 - o L1
 - o L2
- Speed (real vs. actual)
- 32bit vs. 64 bit

1.5 Explain cooling methods and devices

- Heat sinks
- CPU and case fans
- Liquid cooling systems
- Thermal compound

1.6 Compare and contrast memory types, characteristics and their purpose

- Types
 - o DRAM
 - o SRAM
 - o SDRAM
 - o DDR / DDR2 / DDR3
 - o RAMBUS
- Parity vs. Non-parity
- ECC vs. non-ECC
- Single sided vs. double sided
- Single channel vs. dual channel
- Speed
 - o PC100
 - o PC133
 - o PC2700
 - o PC3200
 - o DDR3-1600
 - o DDR2-667

1.7 Distinguish between the different display devices and their characteristics

- Projectors, CRT and LCD
- LCD technologies
 - o Resolution (e.g. XGA, SXGA+, UXGA, WUXGA)
 - Contrast ratio
 - Native resolution
- Connector types

CompTIA A+ Bridge (2009 Edition) Exam Objectives

- o VGA
- o HDMi
- o S-Video
- o Component / RGB
- DVI pin compatibility
- Settings
 - o Refresh rate
 - o Resolution
 - o Multi-monitor
 - o Degauss

1.8 Install and configure peripherals and input devices

- Mouse
- Keyboard
- Bar code reader
- Multimedia (e.g. web and digital cameras, MIDI, microphones)
- Biometric devices
- Touch screen
- KVM switch

1.9 Summarize the function and types of adapter cards

- Video
 - o PCI
 - o PCIe
 - o AGP
- Multimedia
 - Sound card
 - o TV tuner cards
 - Capture cards
- I/O
 - o SCSI
 - o Serial
 - o USB
 - o Parallel
- Communications
 - o NIC
 - o Modem

1.10 Install, configure and optimize laptop components and features

- Expansion devices
 - PCMCIA cards
 - o PCI Express cards
 - Docking station
- Communication connections
 - o Bluetooth
 - o Infrared
 - o Cellular WAN
 - o Ethernet
 - o Modem
- Power and electrical input devices
 - o Auto-switching
 - o Fixed input power supplies
 - Batteries
- Input devices

CompTIA A+ Bridge (2009 Edition) Exam Objectives

- o Stylus / digitizer
- Function keys
- Point devices (e.g. touch pad, point stick / track point)

1.11 Install and configure printers

- Differentiate between printer types
 - o Laser
 - o Inkjet
 - o Thermal
 - o Impact
- Local vs. network printers
- Printer drivers (compatibility)
- Consumables

2.0 Troubleshooting, Repair and Maintenance

2.1 Given a scenario, explain the troubleshooting theory

- Identify the problem
 - Question the user and identify user changes to computer and perform backups before making changes
- Establish a theory of probable cause (question the obvious)
- Test the theory to determine cause
 - Once theory is confirmed determine next steps to resolve problem
 - o If theory is not confirmed re-establish new theory or escalate
- Establish a plan of action to resolve the problem and implement the solution
- Verify full system functionality and if applicable implement preventative measures
- Document findings, actions and outcomes

2.2 Given a scenario, explain and interpret common hardware and operating system symptoms and their causes

- OS related symptoms
 - o Bluescreen
 - o System lock-up
 - Input/output device
 - Application install
 - Start or load

- Windows specific printing problems
 - Print spool stalled
 - Incorrect / incompatible driver
- Hardware related symptoms
 - Excessive heat
 - o Noise
 - o Odors
 - o Status light indicators
 - o Alerts
 - Visible damage (e.g. cable, plastic)
- Use documentation and resources
 - User / installation manuals
 - o Internet / web based
 - Training materials

2.3 Given a scenario, determine the troubleshooting methods and tools for printers

- Manage print jobs
- Print spooler

CompTIA A+ Bridge (2009 Edition) Exam Objectives

- Printer properties and settings
- Print a test page

2.4 Given a scenario, explain and interpret common laptop issues and determine the appropriate basic troubleshooting method

- Issues
 - Power conditions
 - o Video
 - o Keyboard
 - o Pointer
 - o Stylus
 - o Wireless card issues
 - Methods
 - o Verify power (e.g. LEDs, swap AC adapter)
 - o Remove unneeded peripherals
 - Plug in external monitor
 - o Toggle Fn keys or hardware switches
 - o Check LCD cutoff switch
 - o Verify backlight functionality and pixilation
 - Check switch for built-in WIFI antennas or external antennas

2.5 Given a scenario, integrate common preventative maintenance techniques

- Physical inspection
- Updates
 - o Driver
 - o Firmware
 - o OS
 - o Security
- Scheduling preventative maintenance
 - o Defrag
 - o Scandisk
 - o Check disk
 - Startup programs
- Use of appropriate repair tools and cleaning materials
 - Compressed air
 - Lint free cloth
 - o Computer vacuum and compressors
- Power devices
 - Appropriate source such as power strip, surge protector or UPS
- Ensuring proper environment
- Backup procedures

3.0 Operating Systems and Software - Unless otherwise noted, operating systems referred to within include Microsoft Windows 2000, Windows XP Professional, XP Home, XP MediaCenter, Windows Vista Home, Home Premium, Business and Ultimate.

3.1 Compare and contrast the different Windows Operating Systems and their features

- Windows 2000, Windows XP 32bit vs. 64bit, Windows Vista 32 bit vs. 64bit
 - o Side bar, Aero, UAC, minimum system requirements, system limits
 - Windows 2000 and newer upgrade paths and requirements
 - Terminology (32bit vs. 64bit x86 vs. x64)
 - Application compatibility, installed program locations (32bit vs. 64bit), Windows compatibility mode

CompTIA A+ Bridge (2009 Edition) Exam Objectives

o User interface, start bar layout

3.2 Given a scenario, demonstrate proper use of user interfaces

- Windows Explorer
- My Computer
- Control Panel
- Command prompt utilities
 - o telnet
 - o ping
 - o ipconfig
 - Run line utilities
 - o msconfig
 - o msinfo32
 - o Dxdiag
 - o Cmd
 - o REGEDIT
- My Network Places
- Task bar / systray
- Administrative tools
 - o Performance monitor, Event Viewer, Services, Computer Management
- MMC
- Task Manager
- Start Menu

3.3 Explain the process and steps to install and configure the Windows OS

- File systems
 - o FAT32 vs. NTFS
- Directory structures
 - o Create folders
 - Navigate directory structures
- Files
 - o Creation
 - o Extensions
 - o Attributes
 - o Permissions
 - Verification of hardware compatibility and minimum requirements
- Installation methods
 - Boot media such as CD, floppy or USB
 - o Network installation
 - Install from image
 - o Recover CD
 - o Factory recovery partition
- Operating system installation options
 - File system type
 - Network configuration
 - o Repair install
- Disk preparation order
 - o Format drive
 - o Partition
 - Start installation
- Device Manager
 - o Verify
 - o Install and update devices drivers
 - o Driver signing

CompTIA A+ Bridge (2009 Edition) Exam Objectives

- User data migration User State Migration Tool (USMT)
- Virtual memory
- Configure power manangement
 - o Suspend
 - Wake on LAN
 - Sleep timers
 - o Hibernate
 - o Standby
- Demonstrate safe removal of peripherals

3.4 Explain the basics of boot sequences, methods and startup utilities

- Disk boot order / device priority
 - o Types of boot devices (disk, network, USB, other)
- Boot options
 - Safe mode
 - o Boot to restore point
 - Recovery options
 - Automated System Recovery (ASR)
 - Emergency Repair Disk (ERD)
 - Recovery console

4.0 Networking

4.1 Summarize the basics of networking fundamentals, including technologies, devices and protocols

- Basics of configuring IP addressing and TCP/IP properties (DHCP, DNS)
- Bandwidth and latency
- Status indicators
- Protocols (TCP/IP, NETBIOS)
- Full-duplex, half-duplex
- Basics of workgroups and domains
- Common ports: HTTP, FTP, POP, SMTP, TELNET, HTTPS
- LAN / WAN
- Hub, switch and router
- Identify Virtual Private Networks (VPN)
- Basics class identification

4.2 Categorize network cables and connectors and their implementations

- Cables
 - o Plenum / PVC
 - o UTP (e.g. CAT3, CAT5 / 5e, CAT6)
 - o STP
 - o Fiber
 - o Coaxial cable
- Connectors
 - o RJ45
 - o RJ11

4.3 Compare and contrast the different network types

- Broadband
 - o DSL
 - o Cable
 - o Satellite

CompTIA A+ Bridge (2009 Edition) Exam Objectives

- o Fiber
- Dial-up
- Wireless
 - o All 802.11 types
 - o WEP
 - o WPA
 - o SSID
 - MAC filtering
 - o DHCP settings
- Bluetooth
- Cellular

5.0 Security

.

.

5.1 Explain the basic principles of security concepts and technologies

- Encryption technologies
- Data wiping / hard drive destruction / hard drive recycling
 - Software firewall
 - Port security
 - o Exceptions
- Authentication technologies
 - o User name
 - o Password
 - o Biometrics
 - Smart cards
- Basics of data sensitivity and data security
 - o Compliance
 - o Classifications
 - Social engineering

5.2 Summarize the following security features

- Wireless encryption
 - o WEPx and WPAx
 - o Client configuration (SSID)
- Malicious software protection
 - o Viruses
 - o Trojans
 - o Worms
 - o Spam
 - o Spyware
 - o Adware
 - o Grayware
- BIOS Security
 - o Drive lock
 - o Passwords
 - o Intrusion detection
 - o TPM
- Password management / password complexity
 - Locking workstation
 - o Hardware
 - o Operating system
 - Biometrics

.

o Fingerprint scanner

CompTIA A+ Bridge (2009 Edition) Exam Objectives

6.0 Operational Procedure

6.1 Outline the purpose of appropriate safety and environmental procedures and given a scenario apply them

- ESD ٠
- EMI
 - Network interference 0
 - Magnets 0
- RFI
 - Cordless phone interference Ο
 - Microwaves 0
 - Electrical safety
 - o CRT
 - Power supply 0
 - 0 Inverter
 - 0 Laser printers
 - Matching power requirements of equipment with power distribution and UPSs 0
 - Material Safety Data Sheets (MSDS)
- Cable management
 - o Avoiding trip hazards
 - Physical safety
 - 0 Heavy devices
 - Hot components 0
- Environmental consider proper disposal procedures

6.2 Given a scenario, demonstrate the appropriate use of communication skills and professionalism in the workplace

- Use proper language avoid jargon, acronyms, slang
- Maintain a positive attitude
- Listen and do not interrupt a customer
- Be culturally sensitive
- Be on time
 - 0 If late contact the customer
- Avoid distractions
 - o Personal calls
 - Talking to co-workers while interacting with customers 0
 - Personal interruptions 0
- Dealing with a difficult customer or situation
 - Avoid arguing with customers and/or being defensive 0
 - Do not minimize customers' problems 0
 - 0 Avoid being judgmental
 - Clarify customer statements 0
 - Ask open-ended questions to narrow the scope of the problem .
 - Restate the issue or question to verify understanding
- Set and meet expectations / timeline and communicate status with the customer
 - Offer different repair / replacement options if applicable
 - Provide proper documentation on the services provided 0
 - Follow up with customer / user at a later date to verify satisfaction 0
- Deal appropriately with customers confidential materials
 - o Located on computer, desktop, printer, etc.

CompTIA A+ Bridge (2009 Edition) Exam Objectives

0

CompTIA A+ Acronyms

Introduction

The following is a list of acronyms which appear on the CompTIA A+ exams. Candidates are encouraged to review the complete list and attain a working knowledge of all listed acronyms as a part of a comprehensive exam preparation program.

ACRONYM	SPELLED OUT
AC	alternating current
ACL	access control list
ACPI	advanced configuration and power interface
ACT	activity
ADSL	asymmetrical digital subscriber line
AGP	accelerated graphics port
AMD	advanced micro devices
APIPA	automatic private internet protocol addressing
APM	advanced power management
ARP	address resolution protocol
ASR	automated system recovery
AT	advanced technology
ATA	advanced technology attachment
ATAPI	advanced technology attachment packet interface
ATM	asynchronous transfer mode
ATX	advanced technology extended
BIOS	basic input/output system
BNC	Bayonet-Neill-Concelman or British Naval Connector
BTX	balanced technology extended
CD	compact disc
CD-ROM	compact disc-read-only memory
CD-RW	compact disc-rewritable
CDFS	compact disc file system
CFS	Central File System, Common File System, Command File System
CMOS	complementary metal-oxide semiconductor
COMx	communication port (x=port number)
CPU	central processing unit
CRT	cathode-ray tube
DAC	discretionary access control
DB-25	serial communications D-shell connector, 25 pins
DB-9	9 pin D shell connector
DC	direct current
DDOS	distributed denial of service
DDR	double data-rate
DDR RAM	double data-rate random access memory
DDR SDRAM	double data-rate synchronous dynamic random access memory

CompTIA A+ Bridge (2009 Edition) Exam Objectives

DFS	distributed file system
DHCP	dynamic host configuration protocol
DIMM	dual inline memory module
DIN	Deutsche Industrie Norm
DIN DIP	dual inline package
DLT	
DLP	digital linear tape digital light processing
DLF	direct memory access
DMA DMZ	demilitarized zone
DNZ	domain name service or domain name server
	denial of service
DOS	
DPMS	display power management signaling
DRAM	dynamic random access memory
DSL	digital subscriber line
DVD	digital video disc or digital versatile disc
DVD-RAM	digital video disc-random access memory
DVD-ROM	digital video disc-read only memory
DVD-R	digital video disc-recordable
DVD-RW	digital video disc-rewritable
DVI	digital visual interface
ECC	error correction code
ECP	extended capabilities port
EEPROM	electrically erasable programmable read-only memory
EFS	encrypting file system
EIDE	enhanced integrated drive electronics
EMI	electromagnetic interference
EMP	electromagnetic pulse
EPROM	erasable programmable read-only memory
EPP	enhanced parallel port
ERD	emergency repair disk
ESD	electrostatic discharge
EVGA	extended video graphics adapter/array
EVDO	evolution data optimized or evolution data only
FAT	file allocation table
FAT12	12-bit file allocation table
FAT16	16-bit file allocation table
FAT32	32-bit file allocation table
FDD	floppy disk drive
Fn	Function (referring to the function key on a laptop)
FPM	fast page-mode
FRU	field replaceable unit
FSB	Front Side Bus
FTP	file transfer protocol
FQDN	fully qualified domain name

Gb	gigabit
GB	gigabyte
GDI	graphics device interface
GHz	gigahertz
GUI	graphical user interface
GPS	global positioning system
GSM	global system for mobile communications
HAL	hardware abstraction layer
HCL	hardware compatibility list
HDD	hard disk drive
HDMi	high definition media interface
HPFS	high performance file system
HTML	hypertext markup language
HTTP	hypertext transfer protocol
HTTPS	hypertext transfer protocol over secure sockets layer
I/O	
ICMP	input/output
ICMP	internet control message protocol
1011	intelligent character recognition
IDE	integrated drive electronics
IDS	Intrusion Detection System
IEEE	Institute of Electrical and Electronics Engineers
IIS	Internet Information Services
IMAP	internet mail access protocol
IP	internet protocol
IPCONFIG	internet protocol configuration
IPP	internet printing protocol
IPSEC	internet protocol security
IPX	internetwork packet exchange
IPX/SPX	internetwork packet exchange/sequenced packet exchange
IR	infrared
IrDA	Infrared Data Association
IRQ	interrupt request
ISA	industry standard architecture
ISDN	integrated services digital network
ISO	Industry Standards Organization
ISP	internet service provider
JBOD	just a bunch of disks
Kb	kilobit
KB	Kilobyte or knowledge base
LAN	local area network
LBA	logical block addressing
LC	Lucent connector
LCD	liquid crystal display
LDAP	lightweight directory access protocol

LED	light emitting diode
Li-on	lithium-ion
LPD/LPR	line printer daemon / line printer remote
LPT	line printer terminal
LPT1	line printer terminal 1
LVD	low voltage differential
MAC	media access control / mandatory access control
MAPI	messaging application programming interface
MAU	media access unit, media attachment unit
Mb	megabit
MB	megabyte
MBR	master boot record
MBSA	Microsoft Baseline Security Analyzer
MFD	multi-function device
MFP	multi-function product
MHz	megahertz
MicroDIMM	micro dual inline memory module
MIDI	musical instrument digital interface
MIME	multipurpose internet mail extension
MLI	multiple link interface
MMC	Microsoft management console
MMX	multimedia extensions
MP3	Moving Picture Experts Group Layer 3 Audio
MP4	Moving Picture Experts Group Layer 4
MPEG	Moving Picture Experts Group
MSCONFIG	Microsoft configuration
MSDS	material safety data sheet
MUI	multilingual user interface
NAC	network access control
NAS	network-attached storage
NAT	network address translation
NetBIOS	networked basic input/output system
NetBEUI	networked basic input/output system extended user interface
NFS	network file system
NIC	network interface card
NiCd	nickel cadmium
NiMH	nickel metal hydride
NLX	new low-profile extended
NNTP	network news transfer protocol
NTFS	new technology file system
NTLDR	new technology loader
NTP	Network Time Protocol
OCR	optical character recognition
OEM	original equipment manufacturer
	- • •

OS	operating system
PAN	personal area network
РАТА	parallel advanced technology attachment
PC	personal computer
PCI	peripheral component interconnect
PCIe	peripheral component interconnect express
PCIX	peripheral component interconnect extended
PCL	printer control language
PCMCIA	Personal Computer Memory Card International Association
PDA	personal digital assistant
PGA	pin grid array
PGA2	pin grid array 2
PIN	personal identification number
PKI	public key infrastructure
PnP	plug and play
POP3	post office protocol 3
POST	power-on self test
POTS	plain old telephone service
PPP	point-to-point protocol
РРТР	point-to-point tunneling protocol
PRI	primary rate interface
PROM	programmable read-only memory
PS/2	personal system/2 connector
PSTN	public switched telephone network
PSU	power supply unit
PVC	permanent virtual circuit
PXE	preboot execution environment
QoS	quality of service
RAID	redundant array of independent (or inexpensive) discs
RAM	random access memory
RAS	remote access service
RDRAM	RAMBUS [®] dynamic random access memory
RDP	Remote Desktop Protocol
RF	radio frequency
RFI	radio frequency interference
RGB	red green blue
RIMM	RAMBUS [®] inline memory module
RIP	routing information protocol
RIS	remote installation service
RISC	reduced instruction set computer
RJ	registered jack
RJ-11	registered jack function 11
RJ-45	registered jack function 45
RMA	returned materials authorization

RS-232 or RS-232Crecommended standard 232RTCreal-time clockSANstorage area networkSATAserial advanced technology attachmentSCsubscription channelSCsubscription channelSCPsecure copy protectionSCSIIsmall computer system interfaceSCSIIDsmall computer system interface identifierSD cardsecure digital cardSDRAMsynchronous dynamic random access memorySECsigle edge connectorSFCsystem file checkerSGRAMsynchronous graphics random access memorySIMMsingle inline memory moduleSLIscalable link interface or system level integration or scanline interleave modeSMA.R.T.self-monitoring, analysis, and reporting technologySMBserver message block or small to midsize businessSMTPsimple nail transport protocolSoDIMsmall outline dual inline memory moduleSOHOsmall outlice/home officeSPservice pack 1SP2service pack 1SP2service pack 2SP3service pack 3SP4service pack 4SPDIFSony-Philips digital interface formatSPGAstaggered pin grid arraySPXsequenced package exchangeSRAMstatic random access memorySSLsecure shellSSIDservice set identifierSSLsecure shellSSLsecure shellSSLsecure shellSSLsecu	ROM	read only memory
SANstorage area networkSATAserial advanced technology attachmentSCsubscription channelSCPsecure copy protectionSCSIsmall computer system interfaceSCSIsmall computer system interface identifierSD cardsecure digital cardSDRAMsynchronous dynamic random access memorySECsingle edge connectorSFCsystem file checkerSGRAMsynchronous graphics random access memorySIMMsingle inline memory moduleSL1scalable link interface or system level integration or scanline interleave modeS.M.A.R.T.self-monitoring, analysis, and reporting technologySMBserver message block or small to midsize businessSMTPsimple network management protocolSOHOsmall outline dual inline memory moduleSOHOsmall outline dual inline memory moduleSOHOservice packSP1service pack 1SP2service pack 2SP3service pack 3SP4service pack 4SPDIFSony-Philips digital interface formatSPGAsequenced package exchangeSRAMsecure shellSSIDsecure shellSSIDsecure sidentifierSSILsecure sidentifierSSILsecure sidentifierSSILsecure sidentifierSSILsecure sidentifierSSILsecure sidentifierSSILsecure sidentifierSSILsecure sidentifierSSILsec	RS-232 or RS-232C	
SATAserial advanced technology attachmentSCsubscription channelSCPsecure copy protectionSCSIsmall computer system interfaceSCSIIDsmall computer system interface identifierSD cardsecure digital cardSDRAMsynchronous dynamic random access memorySECsigle edge connectorSFCsystem file checkerSGRAMsynchronous graphics random access memorySIMMsingle inline memory moduleSLIscalable link interface or system level integration or scanline interleave modeS.M.A.R.T.self-monitoring, analysis, and reporting technologySMBserver message block or small to midsize businessSMTPsimple network management protocolSoDIMMsmall outline dual inline memory moduleSOHOsmall office/home officeSPservice packSP1service pack 1SP2service pack 3SP4service pack 4SPDIFSony-Philips digital interface formatSPGAstagered pin grid arraySRAsecure solkel sayerSRAsecure solkel sayerSRAsecure solkel sayerSRAsecure solkel sayerSRAsecure solkel sayerSPGAsuper vice osci sarraySSLsecure solkel sarraySRAsuper vice orthor protocolTFPshielded twisted pairSVGAsuper vice orthor protocol/internet protocolTCP/IPtransmission control protocol/internet protocol <tr< td=""><td>RTC</td><td>real-time clock</td></tr<>	RTC	real-time clock
SATAserial advanced technology attachmentSCsubscription channelSCPsecure copy protectionSCSIsmall computer system interfaceSCSI IDsmall computer system interface identifierSD cardsecure digital cardSD cardsecure digital cardSD cardsynchronous dynamic random access memorySECsingle edge connectorSFCsystem file checkerSGRAMsynchronous graphics random access memorySIMMsingle inline memory moduleSLIscalable link interface or system level integration or scanline interleave modeS.M.A.R.T.self-monitoring, analysis, and reporting technologySMBserver message block or small to midsize businessSMTPsimple nail transport protocolSOHOsmall office/home officeSPservice packSP1service pack 1SP2service pack 2SP3service pack 3SP4service pack 4SPDIFSony-Philips digital interface formatSPGAstatic random access memorySSHsecure sokel layerSSHsecure sokel sayerSSHsecure socket sayer <td>SAN</td> <td>storage area network</td>	SAN	storage area network
SCsubscription channelSCPsecure copy protectionSCSIsmall computer system interfaceSCSI IDsmall computer system interface identifierSD eardsecure digital cardSDRAMsynchronous dynamic random access memorySECsingle edge connectorSFCsystem file checkerSGRAMsynchronous graphics random access memorySIMMsingle inline memory moduleSL1scalable link interface or system level integration or scanline interleave modeS.M.A.R.T.self-monitoring, analysis, and reporting technologySMBserver message block or small to midsize businessSMPsimple mail transport protocolSNMPsimple network management protocolSOIMMsmall office/home officeSP1service pack 1SP2service pack 2SP3service pack 4SPDIFSony-Philips digital interface formatSPGAstaggred pin grid arraySPXsequenced package exchangeSRAMstatic random access memorySSILsecure shellSSILsecure shellSSILsecure shellSSILsecure shellSSILsecure graphics arraySSKAsuper vice grack layerSTstaided twisted pairSVGAsuper vice optocol/internet protocolTCP/IPtransmission control protocol/internet protocolTCP/IPtransmission control protocol/internet protocolTCP/IPtransmission control protocol/internet pr	SATA	
SCSIsmall computer system interfaceSCSI IDsmall computer system interface identifierSD eardsecure digital cardSDRAMsynchronous dynamic random access memorySECsingle edge connectorSFCsystem file checkerSGRAMsynchronous graphics random access memorySIMMsingle inline memory moduleSL1scalable link interface or system level integration or scanline interleave modeS.M.A.R.T.self-monitoring, analysis, and reporting technologySMBserver message block or small to midsize businessSMTPsimple mail transport protocolSNMPsimple network management protocolSOHOsmall office/home officeSPservice packSP1service pack 1SP2service pack 2SP3service pack 4SPDIFSony-Philips digital interface formatSPGAstaggered pin grid arraySPXsequenced package exchangeSRAMstatic random access memorySSIDservice set identifierSSILsecure sockets layerSTstraight tipSTPshielded twisted pairSVGAsuper vicko graphics arraySXGAsuper extended graphics arraySXGAsuper vicko graphics arraySXGA	SC	
SCSI IDsmall computer system interface identifierSD cardsecure digital cardSD cardsynchronous dynamic random access memorySECsingle edge connectorSFCsystem file checkerSGRAMsynchronous graphics random access memorySIMMsingle inline memory moduleSL1scalable link interface or system level integration or scanline interleave modeS.M.A.R.T.self-monitoring, analysis, and reporting technologySMBserver message block or small to midsize businessSMPsimple mail transport protocolSNMPsimple network management protocolSOHOsmall outline dual inline memory moduleSOHOsmall outline dual inline memory moduleSOHOservice pack 1SP2service pack 2SP3service pack 2SP3service pack 4SPDIFSony-Philips digital interface formatSPGAstaggered pin grid arraySP4secure solet layerSSIDservice pack layerSSIDservice set identifierSSLsecure solet layerSSTsecure solet layerSSTsecure doctage exchangeSRAMstatic random access memorySSIDservice pack angleSSIDservice set identifierSSLsecure solet layerSSTsecure solet layerSSTsecure solet layerSSIDservice pack layerSSIDservice pack layerSSIDsecure solet layerSSID	SCP	secure copy protection
SD cardsecure digital cardSDRAMsynchronous dynamic random access memorySECsingle edge connectorSFCsystem file checkerSGRAMsynchronous graphics random access memorySIMMsingle inline memory moduleSL1scalable link interface or system level integration or scanline interleave modeS.M.A.R.T.self-monitoring, analysis, and reporting technologySMBserver message block or small to midsize businessSMTPsimple mail transport protocolSNMPsimple mail transport protocolSOHOsmall outline dual inline memory moduleSOHOsmall outline dual inline memory moduleSOHOservice packSP1service pack 1SP2service pack 2SP3service pack 3SP4service pack 4SPDIFSony-Philips digital interface formatSPGAstagered pin grid arraySPXsequenced package exchangeSRAMstatic random access memorySSIDservice sockta layerSSIDservice sockta layerSSIDservice sockta layerSSIDservice sockta layerSSIDservice sockta layerSSIDsuper video graphics arraySXGAsuper video graphics arraySXGAsuper extended graphics arraySXGAsuper extended graphics arrayTBterabyteTCP/IPtransmission control protocolTDRtime domain reflectometerTFTPtrivial file transfer pr	SCSI	small computer system interface
SDRAMsynchronous dynamic random access memorySECsingle edge connectorSFCsystem file checkerSGRAMsynchronous graphics random access memorySIMMsingle inline memory moduleSL1scalable link interface or system level integration or scanline interleave modeS.M.A.R.T.self-monitoring, analysis, and reporting technologySMBserver message block or small to midsize businessSMTPsimple mail transport protocolSNMPsimple network management protocolSOHOMsmall outline dual inline memory moduleSOHOsmall office/home officeSPservice packSP1service packSP2service pack 1SP2service pack 2SP3service pack 4SPDIFSony-Philips digital interface formatSPGAstaggered pin grid arraySPXsequenced package exchangeSRAMstatic random access memorySSHsecure sockets layerSSIDservice set identifierSSLsecure sockets layerSSIDservice sockets layerSTshielded twisted pairSVGAsuper video graphics arraySVGAsuper video graphics arraySVGAsuper video graphics arrayTDPtransmission control protocolTCP/IPtransmission control protocolTCP/IPtime domain reflectometerTFTPtivial file transfer protocol	SCSI ID	small computer system interface identifier
SECsingle edge connectorSFCsystem file checkerSGRAMsynchronous graphics random access memorySIMMsingle inline memory moduleSL1scalable link interface or system level integration or scanline interleave modeS.M.A.R.T.self-monitoring, analysis, and reporting technologySMBserver message block or small to midsize businessSMTPsimple mail transport protocolSNMPsimple network management protocolSOHOsmall office/home officeSP1service packSP1service packSP2service pack 1SP2service pack 3SP4service pack 4SPDIFSony-Philips digital interface formatSPGAstagered pin grid arraySPXsequenced package exchangeSRAMstatic random access memorySSIDservice set identifierSSIDservice set identifierSSLsecure sockets layerSTPshielded twisted pairSVGAsuper video graphics arraySXGAsuper video graphics arraySXGAsuper video graphics arrayTCPtransmission control protocolTCP/Ptime domain reflectometerTFTPtivial file transfer protocol	SD card	secure digital card
SECsingle edge connectorSFCsystem file checkerSGRAMsynchronous graphics random access memorySIMMsingle inline memory moduleSL1scalable link interface or system level integration or scanline interleave modeS.M.A.R.T.self-monitoring, analysis, and reporting technologySMBserver message block or small to midsize businessSMTPsimple mail transport protocolSNMPsimple network management protocolSOHOsmall office/home officeSP1service packSP1service packSP2service pack 1SP2service pack 3SP4service pack 4SPDIFSony-Philips digital interface formatSPGAstagered pin grid arraySPXsequenced package exchangeSRAMstatic random access memorySSIDservice set identifierSSIDservice set identifierSSLsecure sockets layerSTPshielded twisted pairSVGAsuper video graphics arraySXGAsuper video graphics arraySXGAsuper video graphics arrayTCPtransmission control protocolTCP/Ptime domain reflectometerTFTPtivial file transfer protocol	SDRAM	synchronous dynamic random access memory
SGRAMsynchronous graphics random access memorySIMMsingle inline memory moduleSL1scalable link interface or system level integration or scanline interleave modeS.M.A.R.T.self-monitoring, analysis, and reporting technologySMBserver message block or small to midsize businessSMTPsimple mail transport protocolSNMPsimple network management protocolSoDIMsmall outline dual inline memory moduleSOHOsmall office/home officeSPservice packSP1service pack 1SP2service pack 3SP4service pack 4SPDIFSony-Philips digital interface formatSPGAstaggered pin grid arraySPXsequenced package exchangeSRAMstatic random access memorySSIservice set identifierSSIsecure shellSSIDservice og pack layerSFFshelded twisted pairSVGAsuper video graphics arraySSKAsuper video graphics arraySXGAsuper video graphics arraySYGAsuper video graphics arraySTPtransmission control protocolTCP/IPtransmission control protocol/internet protocolTCP/IPtransmission control protocol/internet protocolTDRtim domain reflectometerTFTPtivivia file transfer	SEC	
SIMMsingle inline memory moduleSLIscalable link interface or system level integration or scanline interleave modeS.M.A.R.T.self-monitoring, analysis, and reporting technologySMBserver message block or small to midsize businessSMTPsimple mail transport protocolSNMPsimple network management protocolSoDIMMsmall outline dual inline memory moduleSOHOsmall office/home officeSPservice packSP1service pack 1SP2service pack 2SP3service pack 3SP4service pack 4SPDIFSony-Philips digital interface formatSPGAstagered pin grid arraySPXsequenced package exchangeSRAMstatic random access memorySSIDservice set identifierSSLsecure shellSSIDservice gaphics arraySYGAsuper video graphics arrayTBtransmission control protocolTCP/IPtransmission control protocol/internet protocolTDRtime domain reflectometerTFTPtrivial file transfer protocol	SFC	system file checker
SLIscalable link interface or system level integration or scanline interleave modeS.M.A.R.T.self-monitoring, analysis, and reporting technologySMBserver message block or small to midsize businessSMTPsimple mail transport protocolSNMPsimple network management protocolSOHMsmall outline dual inline memory moduleSOHOsmall office/home officeSPservice packSP1service pack 1SP2service pack 2SP3service pack 4SPDIFSony-Philips digital interface formatSPGAstaggered pin grid arraySPXsequenced package exchangeSRAMstatic random access memorySSIDservice st identifierSSLsecure shellSSIDservice grack 1SSIDservice grack 2SPXsequenced package exchangeSRAMstatic random access memorySSHsecure shellSSIDservice st identifierSSLsecure shellSSIDservice graphics arraySYGAsuper video graphics arraySVGAsuper video graphics arraySXGAsuper video graphics arraySXGAsuper video graphics arrayTBtransmission control protocolTCP/IPtransmission control protocolTDRtime domain reflectometerTFTPtivial file transfer protocol	SGRAM	synchronous graphics random access memory
S.M.A.R.T.self-monitoring, analysis, and reporting technologySMBserver message block or small to midsize businessSMTPsimple mail transport protocolSNMPsimple network management protocolSoDIMMsmall outline dual inline memory moduleSOHOsmall office/home officeSPservice packSP1service pack 1SP2service pack 2SP3service pack 3SP4service pack 4SPDIFSony-Philips digital interface formatSPGAstaggered pin grid arraySPXsequenced package exchangeSRAMstatic random access memorySSHsecure shellSSIDservice socket layerSTstraight tipSTPshelded twisted pairSVGAsuper video graphics arraySXGAsuper video graphics arraySXGAsuper video graphics arraySXGAsuper extended graphics arraySXGAsuper video graphics arrayTDFtransmission control protocolTCP/IPtransmission control protocol/internet protocolTDRtime domain reflectometerTFTPtivial file transfer protocol	SIMM	single inline memory module
SMBserver message block or small to midsize businessSMTPsimple mail transport protocolSNMPsimple network management protocolSoDIMMsmall outline dual inline memory moduleSOHOsmall office/home officeSPservice packSP1service pack 1SP2service pack 2SP3service pack 3SP4service pack 4SPDIFSony-Philips digital interface formatSPAsequenced package exchangeSRAMstatic random access memorySSHsecure shellSSIDservice sockets layerSTstraight tipSTPshelded twisted pairSVGAsuper video graphics arraySXGAsuper video graphics arrayTBterabyteTCP/IPtransmission control protocolTDRtime domain reflectometerTFPtime domain reflectometerTFPtime domain reflectometer	SLI	scalable link interface or system level integration or scanline interleave mode
SMTPsimple mail transport protocolSNMPsimple network management protocolSOHMsmall outline dual inline memory moduleSOHOsmall office/home officeSPservice packSP1service pack 1SP2service pack 2SP3service pack 3SP4service pack 4SPDIFSony-Philips digital interface formatSPGAstaggered pin grid arraySPXsequenced package exchangeSRAMstatic random access memorySSIDservice sockets layerSTstraight tipSTPshelded twisted pairSVGAsuper video graphics arraySVGAsuper video graphics arrayTPshelided twisted pairSVGAsuper video graphics arrayTDPtransmission control protocolTCP/IPtransmission control protocol/internet protocolTDRtime domain reflectometerTFPtivial file transfer protocol	S.M.A.R.T.	self-monitoring, analysis, and reporting technology
SNMPsimple network management protocolSoDIMMsmall outline dual inline memory moduleSOHOsmall office/home officeSPservice packSP1service pack 1SP2service pack 2SP3service pack 3SP4service pack 4SPDIFSony-Philips digital interface formatSPGAstaggered pin grid arraySPXsequenced package exchangeSRAMstatic random access memorySSHsecure shellSSIDservice set identifierSSLsecure sockets layerSTstraight tipSTPshielded twisted pairSVGAsuper video graphics arraySXGAsuper video graphics arrayTBterabyteTCP/IPtransmission control protocolTDRtime domain reflectometerTFTPtivial file transfer protocol	SMB	server message block or small to midsize business
SoDIMMsmall outline dual inline memory moduleSOHOsmall office/home officeSOHOsmall office/home officeSPservice packSP1service pack 1SP2service pack 2SP3service pack 3SP4service pack 4SPDIFSony-Philips digital interface formatSPGAstaggered pin grid arraySPAsequenced package exchangeSRAMstatic random access memorySSHsecure shellSSIDservice sockets layerSTstraight tipSTPshielded twisted pairSVGAsuper video graphics arraySXGAsuper video graphics arrayTCPtransmission control protocol/internet protocolTDRtime domain reflectometerTDRtime domain reflectometerFTPtrivial file transfer protocol	SMTP	simple mail transport protocol
SOHOsmall office/home officeSPservice packSP1service pack 1SP2service pack 2SP3service pack 3SP4service pack 4SPDIFSony-Philps digital interface formatSPGAstaggered pin grid arraySPXsequenced package exchangeSRAMstatic random access memorySSHsecure shellSSIDservice seck layerSTstraight tipSTPshielded twisted pairSVGAsuper video graphics arraySXGAsuper video graphics arraySXGAsuper extended graphics arrayTCPtransmission control protocolTDRtime domain reflectometerTFPtime domain reflectometerTFPtrivial file transfer protocol	SNMP	simple network management protocol
SPservice packSP1service pack 1SP2service pack 2SP3service pack 3SP4service pack 4SPDIFSony-Philips digital interface formatSPGAstaggered pin grid arraySPXsequenced package exchangeSRAMstatic random access memorySSHsecure shellSSIDservice set identifierSSLsecure sockets layerSTPshielded twisted pairSVGAsuper video graphics arraySVGAsuper extended graphics arrayTBterabyteTCPtransmission control protocol/internet protocolTDRtime domain reflectometerTFPtivial file transfer protocol	SoDIMM	small outline dual inline memory module
SP1service pack 1SP2service pack 2SP3service pack 3SP4service pack 4SPDIFSony-Philips digital interface formatSPGAstaggered pin grid arraySPXsequenced package exchangeSRAMstatic random access memorySSHsecure shellSSIDservice set identifierSSLsecure sockets layerSTstraight tipSTPshielded twisted pairSVGAsuper video graphics arraySXGAsuper extended graphics arrayTBterabyteTCP/IPtransmission control protocol/internet protocolTDRtime domain reflectometerTFTPtivial file transfer protocol	SOHO	small office/home office
SP2service pack 2SP3service pack 3SP4service pack 4SPDIFSony-Philips digital interface formatSPGAstaggered pin grid arraySPXsequenced package exchangeSRAMstatic random access memorySSHsecure shellSSIDservice set identifierSSLsecure sockets layerSTstraight tipSTPshielded twisted pairSVGAsuper video graphics arraySXGAsuper extended graphics arrayTBterabyteTCPtransmission control protocolTDRtime domain reflectometerTFTPtrivial file transfer protocol	SP	service pack
SP3service pack 3SP4service pack 4SPDIFSony-Philips digital interface formatSPGAstaggered pin grid arraySPXsequenced package exchangeSRAMstatic random access memorySSHsecure shellSSIDservice set identifierSSLsecure sockets layerSTstraight tipSTPshielded twisted pairSVGAsuper video graphics arraySXGAsuper extended graphics arrayTBterabyteTCP/IPtransmission control protocolTDRtime domain reflectometerTFTPtrivial file transfer protocol	SP1	service pack 1
SP4service pack 4SPDIFSony-Philips digital interface formatSPGAstaggered pin grid arraySPAsequenced package exchangeSRAMstatic random access memorySSHsecure shellSSIDservice set identifierSSLsecure sockets layerSTstraight tipSTPshielded twisted pairSVGAsuper video graphics arraySXGAsuper extended graphics arrayTBterabyteTCP/IPtransmission control protocol/internet protocolTDRtime domain reflectometerTFTPtrivial file transfer protocol	SP2	service pack 2
SPDIFSony-Philips digital interface formatSPGAstaggered pin grid arraySPXsequenced package exchangeSRAMstatic random access memorySRAMsecure shellSSIDservice set identifierSSLsecure sockets layerSTstraight tipSTPshielded twisted pairSVGAsuper video graphics arraySXGAsuper extended graphics arrayTDRtransmission control protocolTDRtime domain reflectometerTFTPtivial file transfer protocol	SP3	service pack 3
SPGAstaggered pin grid arraySPXsequenced package exchangeSRAMstatic random access memorySSHsecure shellSSIDservice set identifierSSLsecure sockets layerSTstraight tipSTPshielded twisted pairSVGAsuper video graphics arraySXGAsuper extended graphics arrayTDPtransmission control protocolTCP/IPtransmission control protocol/internet protocolTDRtime domain reflectometerTFTPtrivial file transfer protocol	SP4	service pack 4
SPXsequenced package exchangeSRAMstatic random access memorySSHsecure shellSSIDservice set identifierSSLsecure sockets layerSTstraight tipSTPshielded twisted pairSVGAsuper video graphics arraySXGAsuper extended graphics arrayTBterabyteTCPtransmission control protocolTDRtime domain reflectometerTFPtivial file transfer protocol	SPDIF	Sony-Philips digital interface format
SRAMstatic random access memorySSHsecure shellSSIDservice set identifierSSLsecure sockets layerSTstraight tipSTPshielded twisted pairSVGAsuper video graphics arraySXGAsuper extended graphics arrayTBterabyteTCPtransmission control protocolTDRtime domain reflectometerTFPtivial file transfer protocol	SPGA	staggered pin grid array
SSHsecure shellSSIDservice set identifierSSLsecure sockets layerSTstraight tipSTPshielded twisted pairSVGAsuper video graphics arraySXGAsuper extended graphics arrayTBterabyteTCP/IPtransmission control protocol/internet protocolTDRtime domain reflectometerTFPtivial file transfer protocol	SPX	sequenced package exchange
SSIDservice set identifierSSLsecure sockets layerSTstraight tipSTPshielded twisted pairSVGAsuper video graphics arraySXGAsuper extended graphics arrayTBterabyteTCP/IPtransmission control protocol/internet protocolTDRtime domain reflectometerTFPtrivial file transfer protocol	SRAM	static random access memory
SSLsecure sockets layerSTstraight tipSTPshielded twisted pairSVGAsuper video graphics arraySXGAsuper extended graphics arrayTBterabyteTCPtransmission control protocolTDRtime domain reflectometerTFPtrivial file transfer protocol	SSH	secure shell
STstraight tipSTPshielded twisted pairSVGAsuper video graphics arraySXGAsuper extended graphics arrayTBterabyteTCPtransmission control protocolTDRtime domain reflectometerTFPtrivial file transfer protocol	SSID	service set identifier
STPshielded twisted pairSVGAsuper video graphics arraySXGAsuper extended graphics arrayTBterabyteTCPtransmission control protocolTCP/IPtransmission control protocol/internet protocolTDRtime domain reflectometerTFPtrivial file transfer protocol	SSL	secure sockets layer
SVGAsuper video graphics arraySXGAsuper extended graphics arrayTBterabyteTCPtransmission control protocolTCP/IPtransmission control protocol/internet protocolTDRtime domain reflectometerTFTPtrivial file transfer protocol	ST	straight tip
SXGAsuper extended graphics arrayTBterabyteTCPtransmission control protocolTCP/IPtransmission control protocol/internet protocolTDRtime domain reflectometerTFTPtrivial file transfer protocol	STP	shielded twisted pair
TBterabyteTCPtransmission control protocolTCP/IPtransmission control protocol/internet protocolTDRtime domain reflectometerTFTPtrivial file transfer protocol	SVGA	super video graphics array
TCPtransmission control protocolTCP/IPtransmission control protocol/internet protocolTDRtime domain reflectometerTFTPtrivial file transfer protocol	SXGA	super extended graphics array
TCP/IPtransmission control protocol/internet protocolTDRtime domain reflectometerTFTPtrivial file transfer protocol	TB	terabyte
TDRtime domain reflectometerTFTPtrivial file transfer protocol	TCP	transmission control protocol
TFTP trivial file transfer protocol	TCP/IP	
	TDR	time domain reflectometer
TPM trusted platform module	TFTP	trivial file transfer protocol
	TPM	trusted platform module

UAC	user account control
UART	universal asynchronous receiver transmitter
UDF	user defined functions or universal disk format or universal data format
UDMA	ultra direct memory access
UDP	user datagram protocol
UNC	universal naming convention
UPS	uninterruptible power supply
URL	uniform resource locator
USB	universal serial bus
USMT	user state migration tool
UTP	unshielded twisted pair
UXGA	ultra extended graphics array
VESA	Video Electronics Standards Association
VFAT	virtual file allocation table
VGA	video graphics array
VoIP	voice over internet protocol
VPN	virtual private network
VRAM	video random access memory
WAN	wide area network
WAP	wireless application protocol
WEP	wired equivalent privacy
WIFI	wireless fidelity
WINS	windows internet name service
WLAN	wireless local area network
WPA	wireless protected access
WUXGA	wide ultra extended graphics array
XGA	extended graphics array
ZIF	zero-insertion-force
ZIP	zigzag inline package